



INSTALLATION INSTRUCTIONS INSTRUCCIONES DE MONTAJE



Safety instructions / Instrucciones de seguridad

Precautions / Precauciones:

It is important that you read, fully understand and observe the following safety instructions as well as the installation instructions.
Careless or improper handling may cause injury or property damage.



*Es importante que lea, comprenda completamente y respete las siguientes instrucciones de seguridad, así como las instrucciones de montaje.
El manejo descuidado o inadecuado puede causar lesiones o daños a la propiedad.*

Good footwear is very important. Wear sturdy boots with nonslip soles. Steel-toed safety boots are recommended.



Un buen calzado es muy importante. Póngase botas gruesas con suela antideslizante. Recomendamos las botas de seguridad con puntera de acero.

Knee-protection is recommended!



¡Recomendamos la protección de rodilla!

Always wear gloves when handling and installing the mats. Heavy-duty, nonslip gloves improve your grip and help to protect your hands.



Siempre use guantes cuando maneje y monte los pisos de goma. Los guantes gruesos y antideslizantes mejoran el manejo y ayudan a proteger las manos.

During installation / durante el montaje:

Do not stand or work under suspended load (pallet)!



¡No se pare ni trabaje bajo carga suspendida (palet)!

- Do not underestimate the weight of the mats. Improper handling may cause injury.
- Only use the recommended tools.
- Observe the safety instructions of the tools' manufacturers.
- Caution when cutting: blade may move quickly through the rubber mat. Be sure you are cutting away from your body.
- Pallets can be broken! Watch out for splinters and / or nails!
- Take care to remove edge protectors or other small parts of packaging from cow feeding areas!



• No subestime el peso de los pisos de goma. El manejo inadecuado puede causar lesiones.

• Solo use las herramientas recomendadas.

• Respete las instrucciones de seguridad de los fabricantes de herramientas.

• Tenga cuidado al cortar: la cuchilla puede moverse rápidamente a través del piso de goma. Asegúrese de estar cortando lejos de su cuerpo.

• ¡Los palets se pueden romper! ¡Cuidado con las astillas y / o los clavos!

• ¡Tenga cuidado de quitar los protectores de bordes u otras partes pequeñas de los envases de las áreas de alimentación de las vacas!

After installing / después del montaje:



Caution!
Cows will be more active!

*¡Cuidado!
¡Las vacas podrían ser más activas!*



Watch out for uneven edges if the floor is only partially covered.

Tenga cuidado con los desniveles en los bordes si el piso está cubierto solo parcialmente.



Residues on the rubber may cause slippery condition while and shortly after installing!

¡Los residuos sobre la goma pueden causar condiciones resbalosas durante y poco después del montaje!

KRAIBURG VITA

Requirements:**concrete area:**

- minimum 4" (10 cm) thick
- no holes
- level off uneven surfaces

mats:

Installation Temperature:
minimum 41°F (5°C) to maximum 86°F (30°C) (be sure internal temperature of mats falls within above range)







86°F!

41°F!




for animal hygiene
some bedding is
necessary to absorb
moisture


You will need this:**measuring:****marking:****cutting:****drilling and installing:****fastening components:**

- 3/8" x 4" LDT steel anchors
- 3" or 3-1/2" spax screws

(or fastening components with at least the same resistance and durability)

1 Lay out VITA Border Bars (frame profiles)

adapt frame profiles to the area to be covered




IMPORTANT:
if the frame profile is cut off,
add additional holes and
counterbore!


drill hole at
the inner edge

2 Fasten VITA Border Bar (frame profiles) through pre-drilled holes

> 3/8" x 4" LDT steel anchor



drill




fasten LDT

! fasten screws until they are
seated evenly fast.
Do not overtighten!

3 Fit VITA Cup (lower mats) into the assembled frame

open cups on upper side




i lower mats can be adjoined
cross- and/or lengthwise

Fill in complete area seamlessly with lower mats,
if necessary, cut the mats to fit

Appropriate installation may differ due to local conditions.
Therefore the manufacturer is not liable for installation!





④ Lay out foam over VITA Cup lower mats



i foam can be adjoined cross- and/or lengthwise

adjoin foam mats seamlessly. If necessary, cut to fit.


⑤ Roll out and position VITA LongLine (top covering)



cut off overlying mat parts at the edges


⑥ Fasten VITA LongLine (top covering) with VITA Top (covering strip)

A lay covering strips onto the top covering along the walls



- high end outwards
- flush to wall

B fasten approx. every 16" (40 cm)
> 3" or 3-1/2" spax screw



! fasten screws until they are seated evenly fast.
Do not overtighten!

Appropriate installation may differ due to local conditions. Therefore the manufacturer is not liable for installation! **i**

KRAIBURG VITA - US - 2/2019 - I